

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 11 January 2001 (11.01.2001)

PCT

(10) International Publication Number WO 01/02554 A2

(51) International Patent Classification⁷: C12N 15/10, 15/62, G01N 33/543, 33/68

(21) International Application Number: PCT/EP00/06271

(22) International Filing Date: 4 July 2000 (04.07.2000)

(26) Publication Language:

English English

(30) Priority Data:

(25) Filing Language:

99112970.1

5 July 1999 (05.07.1999) EP

(71) Applicant (for all designated States except US): MAX-PLANCK-GESELLSCHAFT ZUR FÖRDERUNG DER WISSENSCHAFTEN E.V. [DE/DE]; D-Berlin (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): WALTER, Gerald [DE/NO]; Nedre Skogvei 14, N-0281 Oslo (NO).

KONTHUR, Zoltán [DE/DE]; Stewardstr. 7, D-14167 Berlin (DE). LEHRACH, Hans [AT/DE]; Terrassenstr. 31, D-14129 Berlin (DE).

(74) Agent: VOSSIUS & PARTNER; Siebertstrasse 4, D-81675 München (DE).

(81) Designated States (national): CA, JP, US.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR HIGH-THROUGHPUT SELECTION OF INTERACTING MOLECULES

(57) Abstract: The present invention relates to a method for the selection of at least one member of a number of specifically interacting molecules, said method being carried out in (a) container(s), preferably representing an arrayed form, e.g. in (a) microtiter plate(s), using an automated device comprising a magnetic particle processor. In another embodiment, the present invention relates to a method for the production of a pharmaceutical composition comprising the steps of the method of the present invention and further the step of formulating at least one of said specifically interacting molecules selected and/or characterized by the above method or a functionally and/or structurally equivalent derivative thereof in a pharmaceutically acceptable form.



